



Quality Control Record

Orphan Receptor Peptide Ligand Library

Catalog No. L-005

#	Well Position*	Catalog #	Product Name	M.W.
PLATE I				
1	I-A-2	004-41	Pro-SAAS (221–239) (Rat)	1931.99
2	I-A-3	004-42	Pro-SAAS (221–240) (Rat)	2045.08
3	I-A-4	004-43	Pro-SAAS (221–241) (Rat)	2201.18
4	I-A-5	004-55	Pro-SAAS (221–242) / PEN (Rat)	2300.25
5	I-A-6	004-56	Pro-SAAS (245–260) / Big LEN (Rat)	1744.96
6	I-A-7	004-53	Pro-SAAS (245–260) / Big LEN (Human)	1755.09
7	I-A-8	004-59	Pro-SAAS (243–258) / Big LEN (Mouse)	1756.04
8	I-A-9	062-28	Prothyloliberin (25–50) (Rat)	2757.40
9	I-A-10	062-27	Prothyloliberin (83–103) (Rat)	2347.02
10	I-A-11	062-23	Prothyloliberin (178–199) (Rat)	2617.25
11	I-B-2	053-13	Pancreastatin / Chromogranin A (264-314)-Amide (Rat)	5169.37
12	I-B-3	053-56	Prepro-Chromogranin A (453-461) (Mouse)	1035.21
13	I-B-4	053-57	Prepro-Chromogranin A (374-382) (Mouse)	1044.43
14	I-B-5	053-58	Prepro-Chromogranin A (78-88) (Mouse)	1184.64
15	I-B-6	053-59	Prepro-Chromogranin A (291-302) (Mouse)	1218.30
16	I-B-7	053-60	Prepro-Chromogranin A (339-348) (Mouse)	1335.29
17	I-B-8	053-61	Prepro-Chromogranin A (276-290) (Mouse)	1493.41
18	I-B-9	053-62	Prepro-Chromogranin A (435-452) (Mouse)	2004.16
19	I-B-10	053-18	Prepro-Chromogranin A (392-402) (Mouse)	1219.60
20	I-B-11	053-26	Chromogranin A, prepro (342-355) / WE-14 (Human)	1649.88
21	I-C-2	053-05	Chromogranin A, prepro (250-301) / Pancreastatin (Human)	5505.54
22	I-C-3	053-07	Chromogranin A, prepro (286-301)-Amide (Human)	1817.85
23	I-C-4	053-45	Serpinin / Prepro-Chromogranin A (429-454) (Human)	2891.19
24	I-C-5	053-48	Serpinin / Prepro-Chromogranin A (438-463) / (435-460) (Rat / Mouse)	2865.15
25	I-C-6	053-33	Vasostattin I / prepro-Chromogranin A (19-94) (Human)	8553.90
26	I-C-7	053-32	Vasostattin II / prepro-Chromogranin A (97-131) (Human) (Human)	3908.13
27	I-C-8	053-37	Secretogranin 1 (372–380) (Rat)	1127.46
28	I-C-9	053-38	Secretogranin 1 (416–432) (Rat)	1857.91
29	I-C-10	053-21	Secretogranin 1 (513–532) (Rat)	2400.14
30	I-C-11	053-39	Secretogranin 1 (585–594) (Rat)	1097.59
31	I-D-2	053-15	Chromogranin B (655–677) / Secretogranin 1 (653–675) (Human, Mouse / Rat)	2634.00
32	I-D-3	053-40	Secretogranin 1 (597–611) (Rat)	1760.79
33	I-D-4	004-89	Secretogranin 1 (375–383) , prepro (Mouse)	1156.12
34	I-D-5	004-44	Secretogranin 2 (168–181) (Rat)	1771.80
35	I-D-6	004-45	Secretogranin 2 (169–181) (Rat)	1624.73
36	I-D-7	047-95	Secretogranin 2 (184–216) / Secretoneurin (Rat)	3649.81
37	I-D-8	004-46	Secretogranin 2 (198–216) (Rat)	2018.04
38	I-D-9	004-47	Secretogranin 2 (205–216) (Rat)	1270.65
39	I-D-10	004-48	Secretogranin 2 (287–316) (Rat)	3285.66
40	I-D-11	004-49	Secretogranin 2 (495–517) (Rat)	2786.37
41	I-E-2	004-50	Secretogranin 2 (529–566) (Rat)	4179.99
42	I-E-3	047-98	Secretogranin 2 (529–568) / Manserin (Rat)	4366.09
43	I-E-4	047-69	EM-66 / Secretogranin 2 (219–284) (Rat)	7889.28
44	I-E-5	004-77	Secretogranin 2 (571–583) (Rat)	1354.67

* I = plate number

* A-2 = plate coordinate

Each well contains 1.5nmol of peptide packaged in 15ug of BSA

Page 1 of 4



Quality Control Record

Orphan Receptor Peptide Ligand Library

Catalog No. L-005

#	Well Position*	Catalog #	Product Name	M.W.
45	I-E-6	004-78	Secretogranin 2 (571–584) (Rat)	1510.78
46	I-E-7	004-79	Secretogranin 2 (571–585) (Rat)	1638.84
47	I-E-8	047-99	Secretogranin 2 (571–612) (Rat)	4867.43
48	I-E-9	004-80	Secretogranin 2 (595–611) (Rat)	2055.01
49	I-E-10	004-39	Secretogranin 3 (23–36) (Rat)	1582.78
50	I-E-11	004-85	Secretogranin 3 , prepro (20-54) (Human)	3931.97
51	I-F-2	053-72	Secretogranin 3 Isoform 1, prepro (233-246) (Mouse)	1473.74
52	I-F-3	053-73	Secretogranin 3 Isoform 1, prepro (441-453) (Mouse)	1539.72
53	I-F-4	053-74	Secretogranin 3 Isoform 1, prepro (207-221) (Mouse)	1766.86
54	I-F-5	053-75	Secretogranin 3 Isoform 1, prepro (99-115) (Mouse)	1784.89
55	I-F-6	053-76	Secretogranin 3 Isoform 1, prepro (178-202) (Mouse)	2734.43
56	I-F-7	053-77	Secretogranin 3 Isoform 1, prepro (319-343) (Mouse)	2769.39
57	I-F-8	004-98	Secretogranin 3, prepro (426-461) (Mouse)	4145.02
58	I-F-9	060-41	Somatostatin (25-87) (Rat)	7093.62
59	I-F-10	046-94	Tachykinin 3 (95–115) (Rat)	2215.04
60	I-F-11	065-11	Desamino-[D-Arg]-vasopressin / DDAVP (Multiple)	1069.38
61	I-G-2	065-07	[Arg8]-Vasopressin (AVP) (Human, Rat, Mouse, Ovine, Canine)	1084.25
62	I-G-3	065-08	Provasopressin (26–32) (Rat)	819.38
63	I-G-4	065-42	Provasopressin (151–165) (Rat)	1528.77
64	I-G-5	065-43	Provasopressin (151–166) (Rat)	1684.88
65	I-G-6	065-44	Provasopressin (151–167) (Rat)	1783.95
66	I-G-7	065-45	Provasopressin (151–168) (Rat)	1947.01
67	I-G-8	065-46	Provasopressin (152–168) (Rat)	1847.94
68	I-G-9	065-47	Provasopressin (153–168) (Rat)	1719.88
69	I-G-10	065-48	Provasopressin (154–168) (Rat)	1606.80
70	I-G-11	065-49	Provasopressin (155–168) (Rat)	1535.76
71	I-H-2	064-15	Vasoactive Intestinal Peptide (VIP) (125-137) (Rat)	1537.72
72	I-H-3	064-61	PEBP-1 (9–25) (Rat)	1799.92
73	I-H-4	064-62	PEBP-1 (11–25) (Rat)	1671.85
74	I-H-5	064-63	PEBP-1 (28–46) (Rat)	1990.03
75	I-H-6	064-64	PEBP-1 (50–66) (Rat)	1847.93
76	I-H-7	064-65	PEBP-1 (174–187) (Rat)	1521.78
77	I-H-8	065-71	GABA(A) receptor subunit alpha-6 (38–55) (Rat)	1947.01
78	I-H-9	064-41	Dihydropyrimidinase-related protein 2 (518–572) (Rat)	5761.09
79	I-H-10	064-42	Dihydropyrimidinase-related protein 2 (560–572) (Rat)	1209.65
80	I-H-11	064-43	Dihydropyrimidinase-related protein 3 (558–570) (Rat)	1255.65

PLATE II

81	II-A-2	010-67	Salusin-alpha (Human)	2603.03
82	II-A-3	010-68	Salusin-beta (Human)	2342.87
83	II-A-4	010-74	Salusin (40-mer) (Human)	4378.25
84	II-A-5	010-73	Salusin (50-mer) (Human)	5240.26
85	II-A-6	024-03	BAM (8-22) (Bovine)	1971.23
86	II-A-7	060-50	Neuronostatin-13 (Human)	1415.67
87	II-A-8	060-48	Neuronostatin-13 (Rat, Mouse)	1445.70
88	II-A-9	060-52	Neuronostatin-19 (Rat)	2069.37

* I = plate number

* A-2 = plate coordinate

Each well contains 1.5nmol of peptide packaged in 15ug of BSA

Page 2 of 4



Quality Control Record

Orphan Receptor Peptide Ligand Library

Catalog No. L-005

#	Well Position*	Catalog #	Product Name	M.W.
89	II-A-10	060-53	Neuronostatin-19 (Human)	2039.37
90	II-A-11	022-69	Pepcan-12 / RVD-Hemopressin (Human, Rat, Mouse, Bovine, Porcine)	1424.67
91	II-B-2	079-01	Phoenixin-14 Amide (Human, Rat, Mouse, Porcine, Ovine, Canine)	1583.21
92	II-B-3	079-03	Phoenixin-20 Amide (Human, Rat, Mouse, Canine)	2182.50
93	II-B-4	055-04	PTH (1-31) (Human)	3719.38
94	II-B-5	026-81	Fractalkine Precursor (25-104) / CX3CRL1 Chmokine Domain (1-80) (Human)	9053.82
95	II-B-6	012-14	Prepro-Augurin (133-148) (Rat)	1874.28
96	II-B-7	012-19	Prepro-Augurin (42-70) (Human)	3268.84
97	II-B-8	012-20	Prepro-Augurin (42-70) (Mouse)	3066.69
98	II-B-9	012-21	Prepro-Augurin (42-65) (Human)	2571.95
99	II-B-10	012-24	Prepro-Augurin (133-148) (Human)	1847.92
100	II-B-11	012-26	Augurin (Human)	7843.64
101	II-C-2	023-81	Spexin / NPQ (Human, Mouse, Bovine)	1619.91
102	II-C-3	023-82	Prepro-Spexin (36-58) (Human)	2668.03
103	II-C-4	023-83	Prepro-Spexin (37-116) (Human)	5013.59
104	II-C-5	023-84	Prepro-Spexin (53-70) (Human)	2159.38
105	II-C-6	076-90	NERP-1 (Rat)	2558.30
106	II-C-7	076-89	NERP-1 / VGF prepro (281-306) (Human)	2678.99
107	II-C-8	076-91	NERP-2 (Human)	4064.55
108	II-C-9	076-92	NERP-2 (Rat)	4122.50
109	II-C-10	007-67	NERP-3 (177-206) / Prepro-VGF (177-206) (Human, Rat, Mouse)	3406.69
110	II-C-11	007-71	NERP-4 / Prepro-VGF (485-503) (Human, Rat, Mouse)	1915.19
111	II-D-2	007-85	TLQP-21 Amide / Preprochromogranin A (429-454) (Human)	2490.86
112	II-D-3	007-84	TQLP-21 (12-21) Amide (Human)	1214.37
113	II-D-4	007-83	TQLP-21 (3-21) Amide, pGlu3 (Human)	2259.58
114	II-D-5	007-86	TQLP-21 (13-21) Amide (Human)	1077.23
115	II-D-6	003-26	Nesfatin-1 (1-82) (Human)	9551.86
116	II-D-7	003-22	Nesfatin-1 (1-82) (Rat)	9582.80
117	II-D-8	032-35	Adropin (34-76) (Human)	4499.90
118	II-D-9	046-74	Xenopsin 25 / Xenin 25 (Human)	2970.00
119	II-D-10	028-61	Musclin / OSTN (83-112) (Human)	3209.57
120	II-D-11	028-62	Musclin / OSTN (80-102) (Mouse)	2419.64
121	II-E-2	028-63	Musclin / OSTN (116-133) (Human)	2046.34
122	II-E-3	028-64	Musclin / OSTN (108-133) (Human)	3034.54
123	II-E-4	028-65	Musclin (113-130) / Musclin (115-132) (Mouse / Rat)	2019.32
124	II-E-5	057-36	SCNH2 / Selective Cutting Apelin-36 (1-16) Amide (Human)	1704.91
125	II-E-6	057-37	SCNH2 / Selective Cutting Apelin-36 (1-16) Amide (Rat, Mouse)	1709.98
126	II-E-7	005-42	MCT-1 (Human)	2498.91
127	II-E-8	005-44	MCT-2 (Human)	1828.33
128	II-E-9	005-16	MCT-CYC / Cytochrome C (68-80) (Human)	2048.54
129	II-E-10	012-52	PEDF-34 / Prepro-PEDF (44-77) (Human)	3763.26
130	II-E-11	012-54	PEDF-44 / Prepro-PEDF (78-121) (Human)	4680.25
131	II-F-2	031-33	Ghrelin [Ser3(Des-octanoyl)] (Rat, Mouse)	3188.64
132	II-F-3	046-84	Hemokinin-1 (4-11) (Human)	899.08
133	II-F-4	055-51	OBAP (Rat, Mouse)	2763.40
134	II-F-5	055-52	OBAP (Human)	2795.40
135	II-F-6	026-34	Alarin (Human)	2894.29

* I = plate number

* A-2 = plate coordinate

Each well contains 1.5nmol of peptide packaged in 15ug of BSA

Page 3 of 4



Quality Control Record

Orphan Receptor Peptide Ligand Library

Catalog No. L-005

#	Well Position*	Catalog #	Product Name	M.W.
136	II-F-7	026-32	Alarin (Mouse)	2786.15
137	II-F-8	026-33	Alarin (Rat)	2820.17
138	II-F-9	075-32	YP-30 / Dermcidin (20-49) / Survival-Promoting Peptide (Human)	2970.05
139	II-F-10	075-33	Dermcidin / DCD-1L (Human)	4818.54
140	II-F-11	062-77	Endortropohin (Mouse)	7883.00
141	II-G-2	062-79	Endortropohin (Human)	8584.20
142	II-G-3	031-92	Obestatin (Human)	2546.87
143	II-G-4	031-90	Obestatin (Rat, Mouse)	2516.85
144	II-G-5	069-01	Caerulein (Multiple)	1352.55
145	II-G-6	069-02	Cholecystolinin-33 (CCK-33) (Human)	3946.00
146	II-G-7	069-05	Cholecystolinin (CCK) (27-33) (Human, Rat, Mouse)	947.00
147	II-G-8	069-06	Cholecystokinin (CCK) (30-33) (Human, Rat, Mouse)	597.00
148	II-G-9	014-33	Katacalcin (1-20) (Human)	2321.02
149	II-G-10	014-12	Katacalcin / C-procalcitonin / PDN-21 (Human)	2436.63
150	II-G-11	036-32	P-60 / GAPT (26-48) (Human) (Human)	2809.30

* I = plate number

* A-2 = plate coordinate

Each well contains 1.5nmol of peptide packaged in 15ug of BSA